







NOTES:

- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11  
REF DART SPEC M7075T6B  
OR: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE  
PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR  
AMS 4045 OR ASTM B209  
REF DART SPEC M7075T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME USING MIL-PRF-23377 PER DART QSI 005 4.2.1.3.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.7
- 7) WEIGHT: 0.55 lbs
- 8) ALL NON DIMENSIONED FEATURES PER CAD FILE "D5573-2-REVA.STP"

PRELIMINARY ISSUE

|            |          |  |              |
|------------|----------|--|--------------|
| DESIGN     | AJS      | <b>DART AEROSPACE USA, INC.</b><br>EUGENE, OR  |              |
| DRAWN      | AJS      |  |              |
| CHECKED    | CP       | DRAWING NO.  | REV. A4      |
| MFG. APPR. | JFS      | <b>D5573</b>   | SHEET 3 OF 4 |
| APPROVED   |          | TITLE  | SCALE        |
| DE APPR.   |          | <b>BASE BRACKET, UPPER,<br/>CABLE CUTTER</b>   | NTS          |
| DATE       | 17.11.15 | COPYRIGHT © 2017 BY DART AEROSPACE USA, INC.<br><small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br/>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br/>WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small> |              |

